

RETICLES CTR-2/3™ & DDR-2™




Available in:

Nightforce Competition™ 15-55 x 52
and Competition™ Fixed 42x44 riflescopes
Designed for maximum precision at extreme ranges
Extremely fine subtensions will not obscure target




NIGHTFORCE®



CTR-2™ Pictured
(CTR-3 *Does not feature the center dot)

DDR-2™



Applications:

Competitive/target shooting

Tony Boyer (above) has been described as "by far the greatest shooter in the history of short-range benchrest competition." So, we were honored when Tony agreed to test our Competition™ riflescope.

Shown with Tony is one of his tests: five shots, 100 yards with a 6mm PPC using Berger Match FB bullets. The shots were fired in a sequence at five different magnifications: 55x, 15x, 45x, 25x and 35x with the CTR-1™ reticle. The "scope worked great," Tony said, even though "conditions were not that good."

The results show that with this combination of reticle and riflescope, there is no competition for the Competition™.

RETICLES CTR-2/3™ & DDR-2™

These non-illuminated, second focal plane reticles were specifically created to maximize the remarkable potential and superb optical performance of our Competition™ family of riflescopes. The competitive and serious target shooter will in each case enjoy uncluttered views and ultimate precision at even the longest ranges.

CTR-2/3™

CTR-2/3™
 CTR-2/3™
 CTR-2/3™
 CTR-2/3™

Reticle subtensions: CTR-2/3		
	-	1.0 MOA
A	28.8 MOA	2 MOA
B	0.016 MOA	0.016 MOA
C	0.021 MOA	0.021 MOA

DDR-2™

A double-dot reticle with multiple holdover points and a .095 MOA center dot.

Reticle subtensions: DDR-2™	
A	28.8 moa
B	12.9 MOA
C	0.016 MOA
D	3.0 MOA
E	.095 MOA
F	0.5 MOA
G	0.5 MOA
H	1.0 MOA
I	2.0 MOA
J	2.5 MOA
K	1.5 MOA
L	0.172 MOA
M	0.5 MOA

Note: subtensions illustrated are accurate at 40x in Nightforce 15-55 x 52 Competition™ riflescopes.

